




Adam Tas Corridor Energy

25glr optical module wavelength





25glr optical module wavelength



ITPOD-SFP-25GLR Transceiver , ITPOD

For connecting remote network nodes. Range 10km over SMF. Transceiver ITPOD-SFP-25GLR.

25GBASE-LR SFP28 1310nm 10km Industrial Transceiver Datasheet

Description 25G LR 20KM-I is a SFP28 module for duplex optical data communications support 25.78Gb/s data links. It use the SFP+ 20-pin connector to allow hot plug capability. Digital diagnostic



Cisco 25GBASE SFP28 Modules Data Sheet

The Cisco 25GBASE SFP28 (Small Form-Factor Pluggable) portfolio offers customers a wide variety of high-density and low-power 25 Gigabit

Cisco 25GBASE SFP28 Modules Data Sheet

The Cisco 10/25GBASE-LR Module supports a link length of 10 kilometers on standard Single-Mode



Fiber (SMF) G.652 at both 10G and 25G. The module requires RS-FEC on the host ports for full



Cisco SFP-25G-LR-S Compatible 25GBASE-LR SFP28

FS for Cisco SFP-25G-LR-S compatible SFP28 optical transceiver provides 25GBASE-LR links up to 10km over singlemode fiber (SMF) at a wavelength of

GlobalFoundries accelerates adoption of co-packaged optics for

SCALE CPO solution is the industry's first OCI MSA capable platform and built with GF's proven silicon photonics technology MALTA, N.Y., May 4, 2026 - GlobalFoundries (Nasdaq: GFS)




Arista-Networks 25G SFP28 SFP-25G-LR Transceiver

Arista Networks SFP-25G-LR Compatible 25GBASE-LR SFP28 Optical Transceiver Module for Data Center and Telecom (SMF, 1310nm, 10km, LC, DOM) The Arista



Cisco SFP-25G-LR-S Compatible 25GBASE-LR SFP28 Transceiver Module

FS for Cisco SFP-25G-LR-S compatible SFP28 optical transceiver provides 25GBASE-LR links up to 10km over singlemode fibre (SMF) at a wavelength of 1310nm using a LC connector.



Generic Compatible 25GBASE-LR SFP28 1310nm 10km DOM Duplex

The SFP28 transceiver provides 25GBase-LR throughput up to 10km over single mode fibre (SMF) using a wavelength of 1310nm via an LC duplex connector. Featuring low power consumption, high

SFP Transceivers SSF-SFP28-25GLR

SFP Transceivers SSF-SFP28-25GLR This 1310 nm DFB 25Gb/s SFP28 LR transceiver is designed to transmit and receive optical data over single-mode optical fiber for link length up to 10km.



Cisco 25GBASE SFP28 Modules Data Sheet

The Cisco 10/25GBASE-LR Module supports a link length of 10 kilometers on standard Single-Mode Fiber (SMF) G.652 at both 10G and 25G.



Cisco 25GBASE SFP28 Modules Data Sheet

Product overview The Cisco® 25GBASE SFP28 (Small Form-Factor Pluggable) portfolio offers customers a wide variety of high-density and low-power 25 Gigabit Ethernet connectivity options for



A Comprehensive Guide to the 25GBASE-SR Optical

Compared to other 25G modules, such as 25GBASE-LR, which operates over longer distances, the 25GBASE-SR module is optimized for high

25GBASE-LR SFP28 1310nm 10km DOM Duplex LC/UPC SMF

The SFP28 transceiver provides 25GBase-LR throughput up to 10km over single mode fibre (SMF) using a wavelength of 1310nm via an LC duplex connector. Featuring low power consumption, high





25GBASE-LR SFP28 1310nm 10km Transceiver Datasheet , FS

Description The Technologies SFP28-25GLR-31 is a single-Channel, Pluggable, Fiber-Optic SFP28 for 25 Gigabit Ethernet and Infiniband SAN Applications. It is a high performance module for long-range

25GBASE-LR SFP28 1310nm 10km DOM Duplex LC/UPC SMF Optical

25GBASE-LR SFP28 DOM Optical Transceiver Module for Data Center and 5G Wireless Front-haul (SMF, 1310nm, 10km, LC, Industrial, DOM) The SFP28 transceiver provides 25GBase-LR



Cisco-Compatible SFP-25G-LR-S SFP28 Transceiver

It transmits data up to 10 kilometers (6.2 miles) using a 1310 nm wavelength. The zinc housing protects against electromagnetic interference (EMI) and excessive power dissipation.



Arista Networks SFP-25G-LR Compatible 25Gb SFP28 Transceiver Module

The optical interface uses duplex LC receptacle. This module incorporates Fibertronics proven circuit and DFB technology to provide reliable long life, high performance, and consistent service. This high



25gbase LR SFP28 Singlemode transceiver 25G SFP28

The SFP28 transceiver provides 25GBase-LR throughput up to 10km over single mode fiber (SMF) using a wavelength of 1310nm via an LC duplex connector. It



25G DWDM SFP28 LR CH17-CH61 10km Transceiver

This 25G SFP28 module operates on a nominal wavelength of 100GHz ITU Grid, C Band DWDM wavelength. The DWDM transceiver allows 5G network



25G SFP28 eCPRI 25gbase LR SFP28 CPRI Optical Modules

The SFP28 transceiver provides 25GBase-LR throughput up to 10km over single mode fiber (SMF) using a wavelength of 1310nm via an LC duplex connector. It provides 25GBASE Ethernet



SFP 25G Modules: LR vs MR vs ER vs SR - The

Compare SFP 25G LR, MR, ER, SR modules by distance, power, and standard. Make smart decisions for data centers and backbone networks.



Contact Us

For datasheets, pricing, or custom telecom energy solutions, please visit:
<https://www.koskolong.co.za>